

Index to Volume 61

Author Index

- Abboud, A. M., and R. C. Hoseney. Differential scanning calorimetry of sugar cookies and cookie doughs, 34
- Abdelrahman, A. A., and R. C. Hoseney. Basis for hardness in pearl millet, grain sorghum, and corn, 232
- Afewok, S. See F. S. Lai, 327; B. S. Miller, 201; Y. Pomeranz, 559
- Alaksiewicz, F. B. See A. J. Peplinski, 60
- Allen, C. E. See I. C. Peng, 480
- Altosaar, I. See A. A. Urquhart, 105
- Anderson, M. E. See R. A. Guthrie, 267
- Anderson, R. A. See W. J. Garcia, 360; A. J. Peplinski, 60, 289
- Arioka, K. See K. Ikeda, 236
- Asp, N.-G. See I. Björck, 174; W. Frølich, 357; M. Nyman, 14
- Avato, P. See G. Bianchi, 45
- Bach Knudsen, K. E. See M. Nyman, 14
- Bagley, E. B. See D. D. Christianson, 500
- Ballance, G. M. See C. Nkonge, 316
- Bean, M. M., C. A. Esser, and K. D. Nishita. Some physicochemical and food application characteristics of California waxy rice varieties, 475
- Bekes, F. See U. Zawistowski, 527
- Besson, R. See T. F. Schweizer, 116
- Bianchi, G., P. Avato, and F. Salami. Surface waxes from grain, leaves, and husks of maize (*Zea mays* L.), 45
- Bietz, J. A., T. Burnouf, L. A. Cobb, and J. S. Wall. Gliadin analysis by reversed-phase high-performance liquid chromatography: Optimization of extraction conditions, 124
- _____, _____, and _____. Wheat varietal identification and genetic analysis by reversed-phase high-performance liquid chromatography, 129
- _____. See F. R. Huebner, 554
- Björck, I., M. Nyman, and N.-G. Asp. Extrusion cooking and dietary fiber: Effects on dietary fiber content and on degradation in the rat intestinal tract, 174
- Blake, T. K., S. E. Ullrich, and R. A. Nilan. Purification and characterization of barley D-hordein, 120
- _____. Communication to the editor: The amino acid composition of D-hordein, 555
- Bock, M. A., and G. S. Ranhotra. Effects of dietary pectin, phytate, and calcium on selected lipid parameters in the rat, 514
- Bolte, L. C. See G. J. Moder, 269; Y. Pomeranz, 559
- Bookwalter, G. N., K. Warner, J. S. Wall, Y. V. Wu, and W. F. Kwolek. Corn distillers' grains and other by-products of alcohol production in blended foods. II. Sensory, stability, and processing studies, 509
- _____. See J. S. Wall, 504
- Brooker, D. B. See R. A. Guthrie, 267
- Bruinsma, B. L., and K. F. Finney. Various oils, surfactants, and their blends as replacements for shortening in breadmaking, 279
- _____. See K. F. Finney, 402; G. L. Lookhart, 496; G. J. Moder, 269
- Brumell, C. A. See A. A. Urquhart, 105
- Burnouf, T. See J. A. Bietz, 124, 129
- Burroughs, R. See M. Naewbanij, 385
- Bushuk, W. See O. M. Lukow, 336, 340; M. M. Youssef, 381; U. Zawistowska, 527
- Cagampang, G. B., and A. W. Kirleis. Relationship of sorghum grain hardness to selected physical and chemical measurements of grain quality, 100
- Carr, M. E. See J. E. McGhee, 446
- Casutt, V., K. R. Preston, and R. H. Kilborn. Effects of fermentation time, inherent flour strength, and salt level on extensigraph properties of full formula remix-to-peak processed doughs, 454
- Cherry, J. P. See H. F. Marshall, 166
- Ching, T. M. See L. V. Reddy, 228
- Chow, F. I. See S. T. Omaye, 95
- Christianson, D. D., and E. B. Bagley. Yield stresses in dispersions of swollen, deformable cornstarch granules, 500
- Chung, D. S. See M. Naewbanij, 385
- Cloke, J. D., E. A. Davis, and J. Gordon. Relationship of heat transfer and water-loss rates to crumb-structure development as influenced by monoglycerides, 363
- _____, _____, and _____. Water loss during reheating of fresh and stored cakes made with saturated and unsaturated monoglycerides, 371
- _____, _____, and _____. Volume measurements calculated by several methods using cross-sectional tracings of cake, 375
- Clydesdale, F. M., and D. B. Nadeau. Solubilization of iron in cereals by milk and milk fractions, 330
- Cobb, L. A. See J. A. Bietz, 124, 129
- Colonna, P., J. L. Doublier, J. P. Melcion, F. de Monredon, and C. Mercier. Extrusion cooking and drum drying of wheat starch. I. Physical and macromolecular modifications, 538
- Costello, M. J. See K. R. Davis, 311
- Crosby, K. D. See A. W. Kirleis, 556
- Curley, L. P., and R. C. Hoseney. Effects of corn sweeteners on cookie quality, 274
- D'Appolonia, B. L. See L. A. MacArthur, 321; M. J. Wolt, 209, 213
- Davis, A. B., and W. D. Eustace. Scanning electron microscope views of material from various stages in the milling of hard red winter, soft red winter, and durum wheat, 182
- _____, and C. S. Lai. Microwave utilization in the rapid determination of flour moisture, 1
- _____. See C. S. Lai, 428
- Davis, E. A. See J. D. Cloke, 363, 371, 375; J. E. Evans, 292; L. E. Pearce, 549
- Davis, K. R., M. J. Costello, V. Mattern, and C. Schroeder. Effect of age of sample and of amino acid supplementation on the *Tetrahymena*-relative nutritive value of lentils, green and yellow split peas, and their processed forms, 311
- Dayton, W. R. See I. C. Peng, 480
- Del Vedovo, S. See T. F. Schweizer, 116
- de Monredon, F. See P. Colonna, 538
- de Padua, M. R., and H. Padua Maroun. Rheological behavior of Venezuelan arepa dough from precooked corn flour, 37
- Doherty, C. A. See M. M. Morad, 409
- Donelson, J. R., W. T. Yamazaki, and L. T. Kissell. Functionality in white layer cake of lipids from untreated and chlorinated patent flours. II. Flour fraction interchange studies, 88
- Doublier, J. L. See P. Colonna, 538
- Eckhoff, S. R. See A. J. Peplinski, 289
- Eggum, B. O. See M. Nyman, 14
- El-Baya, A. W. See Y. Pomeranz, 136
- Endo, S., K. Tanaka, and S. Nagao. Do-Corder studies on dough development. I. Interactions of water absorption, sulfhydryl level, and free lipid content in heated dough, 112
- Esser, C. A. See M. M. Bean, 475
- Eustace, W. D. See A. B. Davis, 182
- Evans, J. E., J. Gordon, and E. A. Davis. Cross-classification technique applied to the evaluation of cake surface characteristics, 292
- Faridi, H. A., and G. L. Rubenthaler. Effect of baking time and temperature on bread quality, starch gelatinization, and staling of Egyptian balady bread, 151
- Fey, D. A. See J. S. Wall, 141
- Finney, K. F. An optimized, straight-dough, bread-making method after 44 years, 20
- _____, Y. Pomeranz, and B. L. Bruinsma. Use of algae *Dunaliella* as a protein supplement in bread, 402
- _____. See B. L. Bruinsma, 279; G. L. Lookhart, 496; G. J. Moder, 269; M. D. Shogren, 179, 418
- Forsberg, R. A. See F. S. Karow, 196
- Frølich, W., T. F. Schweizer, and N.-G. Asp. Minerals and phytate in the analysis of dietary fiber from cereals. II, 357
- _____. See T. F. Schweizer, 116
- Fujii, S. See K. Ikeda, 236
- Furuya, E. M., and J. J. Warthesen. Packaging effects on riboflavin content of pasta products in retail markets, 399
- Garcia, W. J., A. J. Peplinski, R. A. Anderson, and G. E. Inglett. Corn food products intrinsically labeled with zinc-65 for studies on bioavailability of zinc in humans, 360
- Ghiassi, K., R. C. Hoseney, K. Zeleznak, and D. E. Rogers. Effect of waxy

- barley starch and reheating on firmness of bread crumb, 281
- Glennie, C. W. Endosperm cell wall modification in sorghum grain during germination, 285
- Gordon, J. See J. D. Cloke, 363, 371, 375; J. E. Evans, 292; L. E. Pearce, 549
- Gumbmann, M. R. See J. S. Wall, 504
- Gutheil, R. A., G. F. Krause, D. B. Brooker, and M. E. Anderson. Effect of corn cultivar and sample variance on the performance of three electronic moisture meters, 267
- Guy, E. J. Evaluation of the bread-baking quality and storage stability of 12% soy-fortified wheat flour containing sweet cheese whey solids, 83
- Heisel, S. See N. Prentice, 203
- Hill, R. D. See H. O. Kim, 406, 432
- Honig, D. H., W. J. Wolf, and J. J. Rackis. Phytic acid and phosphorus content of various soybean protein fractions, 523
- Hooijat, P., and M. E. Zabik. Sugar-snap cookies prepared with wheat-navy bean-sesame seed flour blends, 41
- Hoseney, R. C. See A. M. Abboud, 34; A. A. Abdelrahman, 232; L. P. Curley, 274; K. Ghiasi, 281; I. Kaced, 187; C. S. Lai, 428; D. V. Neel, 259, 262; M. C. Olewnik, 28
- House, L. R. See D. S. Murty, 415
- Housley, T. L. See A. W. Kirleis, 556
- Hsieh, C. C., and C. E. McDonald. Isolation of lipoxygenase isoenzymes from flour of durum wheat endosperm, 392
- Hsu, K. H. A theoretical approach to the tempering of grains, 466
- Huebner, F. R., and J. A. Bietz. Separation of wheat gliadins by preparative reversed-phase high-performance liquid chromatography, 554
- Hutchinson, D. H., and L. Otten. Equilibrium moisture content of wheat beans, 155
- Ikeda, K., K. Arioka, S. Fujii, T. Kusano, and M. Oku. Effect on buckwheat protein quality of seed germination and changes in trypsin inhibitor content, 236
- Inglett, G. E. See W. J. Garcia, 360
- Jasberg, B. K. See P. E. Neumann, 439
- Johansson, C.-G. See M. Nyman, 14
- Kaced, I., R. C. Hoseney, and E. Varriano-Marston. Factors affecting rancidity in ground pearl millet, 187
- Kadan, R. S., and G. M. Ziegler, Jr. Effects of ingredients on iron distribution in spray-dried experimental soy beverage, 5
- Karow, R. S., R. A. Forsberg, and D. M. Peterson. Note: A comparison of two rapid oat-lipid extraction procedures in terms of fatty-acid profile, 196
- Kathuria, D. K., and J. S. Sidhu. Indian durum wheats. I. Effect of conditioning treatments on the milling quality and composition of semolina, 460
- , and ———. Indian durum wheats. II. Effect of conditioning treatments on the quality of spaghetti, 463
- Khalil, J. K., and W. N. Sawaya. Mineral and vitamin contents of Saudi Arabian pearl millet flour and bread, 301
- Khan, K. Detectability of different classes of gliadins by dye binding and by trichloroacetic acid precipitability, 378
- Kilborn, R. H. See V. Casutt, 454
- Kim, H. O., and R. D. Hill. Modification of wheat flour dough characteristics by cycloheptaamylose, 406
- , and ———. Physical characteristics of wheat starch granule gelatinization in the presence of cycloheptaamylose, 432
- Kim, I. H., and S. K. Kim. Effects of phosphates differing in P_2O_5 contents on firming rate of cooked rice, 91
- Kim, S. K. See I. H. Kim, 91
- Kirleis, A. W., K. D. Crosby, and T. L. Housley. A method for quantitatively measuring vitreous endosperm area in sectioned sorghum grain, 556
- , L. E. Sommers, and D. W. Nelson. Yield, heavy metal content, and milling and baking properties of soft red winter wheat grown on soils amended with sewage sludge, 518
- , See G. B. Cagampang, 100
- Kissell, L. T. See J. R. Donelson, 88
- Krause, G. F. See R. A. Gutheil, 267
- Kroll, R. D. Effect of pH on the binding of calcium ions by soybean proteins, 490
- Kruger, J. E. Rapid analysis of changes in the molecular weight distribution of buffer-soluble proteins during germination of wheat, 205
- , See B. A. Marchylo, 295, 305
- Kulp, K. See M. E. Olewnik, 532
- Kunerth, W. H., and V. L. Youngs. Effect of variety and growing year on the constituents of durum bran fiber, 350
- , and ———. Modification of the anthrone, carbazole, and orcinol reactions for quantitation of monosaccharides, 344
- Kunze, O. R. See C. N. Nguyen, 63
- Kusano, T. See K. Ikeda, 236
- Kwolek, W. F. See G. N. Bookwalter, 509; J. S. Wall, 504
- Lagoda, A. A. See Y. V. Wu, 423
- Lai, C. S., A. B. Davis, and R. C. Hoseney. Isolation of a fermentation stimulant from yeast-protein concentrate, 428
- , See A. B. Davis, 1
- Lai, F. S., Y. Pomeranz, D. Traylor, and S. Afework. Mathematical treatment of near-infrared reflectance data for the estimation of protein, 327
- , See C. R. Martin, 147
- Landry, J. See J. S. Wall, 141
- Liebenberg, N. v. d. W. See J. R. N. Taylor, 69
- Lindell, M. J., and C. E. Walker. Soy enrichment of *chapatties* made from wheat and nonwheat flours, 435
- Lookhart, G. L., K. F. Finney, and B. L. Bruinsma. Polyacrylamide gel electrophoresis of wheat gliadins: The effect of environment and germination, 596
- Lorenz, K. See K. Sedlet, 239
- Lukow, O. M., and W. Bushuk. Influence of germination on wheat quality. I. Functional (breadmaking) and biochemical properties, 336
- , and ———. Influence of germination on wheat quality. II. Modification of endosperm protein, 340
- MacArthur, L. A., and B. L. D'Appolonia. Gamma radiation of wheat. II. Effects of low-dosage radiations on starch properties, 321
- MacGregor, A. W., and J. E. Morgan. Structure of amylopectins isolated from large and small starch granules of normal and waxy barley, 222
- , See B. A. Marchylo, 305
- Manabe, M. See H. Takahashi, 48
- Marchylo, B. A., and J. E. Kruger. Identification of Canadian barley cultivars by reversed-phase high-performance liquid chromatography, 295
- , ———, and A. W. MacGregor. Production of multiple forms of alpha-amylase in germinated, incubated, whole, de-embryonated wheat kernels, 305
- Marshall, H. F., M. A. Shirer, and J. P. Cherry. Characterization of glandless cottonseed storage proteins by sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 166
- Martin, C. R., D. D. Traylor, and F. S. Lai. Corn hardness determination, 147
- Martinez, W. H. See Z. M. Zarins, 471
- Mathias, M. See K. Sedlet, 239
- Matlashewski, G. J. See A. A. Urquhart, 105
- Matsumoto, H. See T. Mita, 169
- Matsuura, S. See H. Takahashi, 48
- Mattern, V. See K. R. Davis, 311
- McDonald, C. E. See C. C. Hsieh, 392
- McGhee, J. E., M. E. Carr, and G. St. Julian. Continuous bioconversion of starch to ethanol by calcium-alginate immobilized enzymes and yeasts, 446
- Melcion, J. P. See P. Colonna, 538
- Mercier, C. See P. Colonna, 538
- Metzger, R. J. See L. V. Reddy, 228
- Meyer, D. See Y. Pomeranz, 53
- Miller, B. S., Y. Pomeranz, and S. Afework. Note: Hardness (texture) of hard red winter wheat grown in a soft wheat area and of soft red winter wheat grown in a hard wheat area, 201
- Mita, T., and H. Matsumoto. Dynamic viscoelastic properties of concentrated dispersions of gluten and gluten methyl ester: Contributions of glutamine side chain, 169
- Moder, G. J., K. F. Finney, B. L. Bruinsma, J. G. Ponte, Jr., and L. C. Bolte. Bread-making potential of straight-grade and whole-wheat flours of Triumph and Eagle-Plainsman V hard red winter wheats, 269
- Morad, M. M., C. A. Doherty, and L. W. Rooney. Utilization of dried distillers grain from sorghum in baked food systems, 409
- Morgan, J. E. See A. W. MacGregor, 222
- Murty, D. S., V. Subramanian, S. Suryaprakash, H. D. Patil, and L. R. House. Amylase activity and sprout damage in sorghum (*Sorghum bicolor* L. Moench), 415
- Nadeau, D. B. See F. M. Clydesdale, 330
- Naewbanij, M., P. A. Seib, R. Burroughs, L. M. Seitz, and D. S. Chung. Determination of ergosterol using thin-layer chromatography and ultraviolet spectroscopy, 385
- Nagao, S. See S. Endo, 112
- Nanayama, U. See H. Takahashi, 48
- Neel, D. V., and R. C. Hoseney. Factors affecting flowability of hard and

- soft wheat flours, 262
- _____, and _____. Sieving characteristics of soft and hard wheat flour, 259
- Nelson, D. W. See A. W. Kirleis, 518
- Neryng, A., and P. J. Reilly. Laboratory wet milling of ensiled corn kernels, 8
- Neumann, P. E., B. K. Jasberg, J. S. Wall, and C. E. Walker. Uniquely textured products obtained by coextrusion of corn gluten meal and soy flour, 439
- _____, J. S. Wall, and C. E. Walker. Chemical and physical properties of proteins in wet-milled corn gluten, 353
- Nguyen, C. N., and O. R. Kunze. Fissures related to postdrying treatments in rough rice, 63
- Nilan, R. A. See T. K. Blake, 120
- Nishita, K. D. See M. M. Bean, 475
- Nkonge, C., and G. M. Ballance. Enzymic solubilization of cereal proteins by commercial proteases, 316
- Norris, K. H., and P. C. Williams. Optimization of mathematical treatments of raw near-infrared signal in the measurement of protein in hard red spring wheat. I. Influence of particle size, 158
- Novellie, L. See J. R. N. Taylor, 69
- Nyman, M., M. Siljeström, B. Pedersen, K. E. Bach Knudsen, N.-G. Asp, C.-G. Johansson, and B. O. Eggum. Dietary fiber content and composition in six cereals at different extraction rates, 14
- _____. See I. Björck, 174
- Oku, M. See K. Ikeda, 236
- Olewnik, M. C., R. C. Hoseney, and E. Varriano-Marston. A procedure to produce pearl millet *rois*, 28
- _____, and K. Kulp. The effect of mixing time and ingredient variation on farinograms of cookie doughs, 532
- Omaye, S. T., and F. I. Chow. Comparison between meal-eating and nibbling rats fed diets containing hard red spring wheat bran: Bioavailability of vitamins A and E and effects on growth, 95
- Otten, L. See D. H. Hutchinson, 155
- Padua Maroun, H. See M. R. de Padua, 37
- Panchuk, B. D. See R. T. Tyler, 192
- Patil, H. D. See D. S. Murty, 415
- Paulis, J. W. See J. S. Wall, 141
- Pearce, L. E., E. A. Davis, and J. Gordon. Thermal properties and structural characteristics of model cake batters containing nonfat dry milk, 549
- Pedersen, B. See M. Nyman, 14
- Peng, I. C., D. W. Quass, W. R. Dayton, and C. E. Allen. The physicochemical and functional properties of soybean 11S globulin—A review, 480
- Peplinski, A. J., R. A. Anderson, and F. B. Alaksiewicz. Corn dry-milling studies: Shortened mill flow and reduced temper time and moisture, 60
- _____, _____, and S. R. Eckhoff. A dry-milling evaluation of trickle sulfur-dioxide-treated corn, 289
- _____. See W. J. Garcia, 360
- Perten, H. A modified falling-number method suitable for measuring both cereal and fungal alpha-amylase activity, 108
- Peterson, D. M. See F. S. Karow, 196
- Phillips, R. D. See Z. M. Zarins, 471
- Pillaiyar, P. Note: Applicability of the rapid gel test for indicating the texture of commercial parboiled rice, 255
- Pomeranz, Y., L. C. Bolte, and S. Afework. Time-dependent moisture gradients in conditioned wheat, determined by electric methods, 559
- _____, A. W. El-Baya, W. Seibel, and H. Stephan. Toast bread from defatted wheat flour, 136
- _____, D. Meyer, and W. Seibel. Wheat, wheat-rye, and rye dough and bread studied by scanning electron microscopy, 53
- _____. See K. F. Finney, 402; F. S. Lai, 327; B. S. Miller, 201
- Ponte, J. G., Jr. See G. J. Moder, 269
- Prentice, N., and S. Heisel. Communication to the editor: A convenient assay for ribonuclease, 203
- Preston, K. R. Gel filtration and characterization of neutral salt extracted wheat gluten proteins varying in hydrophobic properties, 76
- _____. See V. Casutt, 454
- Quass, D. W. See I. C. Peng, 480
- Rackis, J. J. See D. H. Honig, 523
- Ranhotra, G. S. See M. A. Bock, 514
- Reddy, L. V., T. M. Ching, and R. J. Metzger. Alpha-amylase activity in wheat kernels matured and germinated under different temperature conditions, 228
- Reilly, P. J. See A. Neryng, 8
- Rogers, D. E. See K. Ghiasi, 281
- Rooney, L. W. See M. M. Morad, 409
- Rubenthaler, G. L. See H. A. Faridi, 151
- Sahasrabudhe, M. R. See A. A. Urquhart, 105
- St. Julian, G. See J. E. McGhee, 446
- Salamini, F. See G. Bianchi, 45
- Sawaya, W. N. See J. K. Khalil, 301
- Schroeder, C. See K. R. Davis, 311
- Schweizer, T. F., W. Fröllich, S. Del Vedovo, and R. Besson. Minerals and phytate in the analysis of dietary fiber from cereals. I., 116
- _____. See W. Fröllich, 357
- Sedlet, K., M. Mathias, and K. Lorenz. Growth-depressing effects of 5-n-pentadecylresorcinol: A model for cereal alkylresorcinols, 239
- Seguchi, M. Comparison of oil-binding ability of different chlorinated starches, 244
- _____. Oil-binding ability of heat-treated wheat starch, 248
- _____. Oil-binding capacity of prime starch from chlorinated wheat flour, 241
- Seib, P. A. See M. Naewbanij, 385
- Seibel, W. See Y. Pomeranz, 53, 136
- Seitz, L. M. See M. Naewbanij, 385
- Shewry, P. R. Communication to the editor: The amino acid composition of D hordein, 555
- Sexson, K. R. See Y. V. Wu, 388, 423
- Shirer, M. A. See H. F. Marshall, 166
- Shogren, M. D., and K. F. Finney. Bread-making test for 10 grams of flour, 418
- _____, and _____. Reproducibility of 100-gram bread volume as affected by correct-side, wrong-side, or both-sides break and shred, 179
- Sidhu, J. S. See D. K. Kathuria, 460, 463
- Siljeström, M. See M. Nyman, 14
- Sommers, L. E. See A. W. Kirleis, 518
- Spink, P. S., M. E. Zabik, and M. A. Uebersax. Dry-roasted air-classified edible bean protein flour use in cake doughnuts, 251
- Stephan, H. See Y. Pomeranz, 136
- Subramanian, V. See D. S. Murty, 415
- Suryaprakash, S. See D. S. Murty, 415
- Takahashi, H., H. Yasaki, U. Nanayama, M. Manabe, and S. Matsuura. Distribution of sterigmatocystin and fungal mycelium in individual brown rice kernels naturally infected by *Aspergillus versicolor*, 48
- Tanaka, K. See S. Endo, 112
- Taylor, J. R. N., L. Novellie, and N. v. d. W. Liebenberg. Sorghum protein body composition and ultrastructure, 69
- Traylor, D. See F. S. Lai, 327; C. R. Martin, 147
- Tyler, R. T., and B. D. Panchuk. Note: Effect of seed maturity on the air classification of field peas, 192
- Uebersax, M. A. See D. S. Spink, 251
- Ullrich, S. E. See T. K. Blake, 120
- Urquhart, A. A., C. A. Brumell, I. Altosaar, G. J. Matlaszewski, and M. R. Sahasrabudhe. Lipase activity in oats during grain maturation and germination, 105
- Varriano-Marston, E. See I. Kaced, 187; M. C. Olewnik, 28
- Walker, C. E. See M. J. Lindell, 435; P. E. Neumann, 353, 439
- Wall, J. S., D. A. Fey, J. W. Paulis, and J. Landry. Improved two dimensional electrophoretic separation of zein proteins: Application to study of zein inheritance in corn genotypes, 141
- _____, Y. V. Wu, W. F. Kwolek, G. N. Bookwalter, K. Warner, and M. R. Gumbmann. Corn distillers' grains and other by-products of alcohol production in blended foods. I. Compositional and nutritional studies, 504
- _____. See J. A. Bietz, 124, 129; G. N. Bookwalter, 509; P. E. Neumann, 353, 439
- Warner, K. See G. N. Bookwalter, 509; J. S. Wall, 504
- Warthesen, J. J. Note: Analysis of saccharides in low-dextrose equivalent starch hydrolysates using high-performance liquid chromatography, 194
- _____. See E. M. Furuya, 399
- Weisz, J. See P. J. Wood, 73
- Williams, P. C. See K. H. Norris, 158
- Wilson, C. M. Note: Isoelectric focusing of zein in agarose, 198
- Wolf, W. J. See D. H. Honig, 523
- Wolt, M. J., and B. L. D'Appolonia. Factors involved in the stability of frozen dough. I. The influence of yeast reducing compounds on frozen-dough stability, 209

- _____, and _____. Factors involved in the stability of frozen dough. II. The effects of yeast type, flour type, and dough additives on frozen-dough stability, 213
- Wood, P. J., and J. Weisz. Use of Calcofluor in analysis of oat beta-D-glucan, 73
- Wu, Y. V., and K. R. Sexson. Fractionation and characterization of protein-rich material from sorghum alcohol distillation, 388
- _____, _____, and A. A. Lagoda. Protein-rich residue from wheat alcohol distillation: Fractionation and characterization, 423
- _____. See G. N. Bookwalter, 509; J. S. Wall, 504
- Yamazaki, W. T. See J. R. Donelson, 88
- Yasaki, H. See H. Takahashi, 48

- Youngs, V. L. See W. H. Kuerth, 344, 350
- Youssef, M. M., and W. Bushuk. Microstructure of the seed coat of faba bean (*Vicia faba* L.) seeds of different cookability, 381
- Zabik, M. E. See P. Hoojrat, 41; P. S. Spink, 251
- Zarins, Z. M., R. D. Phillips, and W. H. Martinez. A rapid procedure for isolation of the 7S storage protein of cottonseed and its characterization, 471
- Zawistowska, U., F. Bekes, and W. Bushuk. Intercultivar variations in lipid content, composition, and distribution and their relation to baking quality, 527
- Zeleznak, K. See K. Ghiasi, 281
- Ziegler, G. M., Jr. See R. S. Kadan, 5

Subject Index

Pages of errata are in *italics*.

- Acknowledgment of reviewers, v (Vol. 61, No. 1)
- Air classification, of peas harvested at several stages of maturity (Tyler and Panchuk), 192
- Alcohol
distillation; of wheat (Wu et al), 423
production in blended foods
compositional and nutritional studies (Wall et al), 504
sensory, stability, and processing studies (Bookwalter et al), 509
- Algae, as protein supplement in bread (Finney et al), 402
- Alkali, gel test for rice (Pillaiyar), 255
- α -Amylase
activity in wheat (Reddy et al), 228
isoenzymes; synthesis of in wheat kernels (Marchylo et al), 305
measurement of cereal and fungal (Perten), 108
- Amino acids
composition of D hordein, communication to the editor (Shewry, 555; Blake, 555)
effect on nutritive value of legumes (Davis et al), 311
- Baking
bread
from pearl millet flour (Khalil and Sawaya), 301
soy-fortified with sweet cheese whey solids (Guy), 83
- cake
functionality of lipids (Donelson et al), 88
heat transfer and water loss with monoglycerides (Cloke et al), 363
temperature profiles and water loss after storage with monoglycerides (Cloke et al), 371
volume methods for (Cloke et al), 375
- cookies
navy bean-sesame blends (Hoojrat and Zabik), 41
from soft red wheat, soil property effect (Kirleis et al), 518
Do-Corder to study dough development (Endo et al), 112
of frozen dough, factors affecting stability (Wolt and D'Appolonia), 209, 213, 384
model cake batters containing nonfat dry milk (Pearce et al), 549
quality; relation between loaf volume and lipid binding by gliadin and glutenin (Zawistowska et al), 527
- Barley
cultivar identification of by HPLC (Marchylo and Kruger), 295
purification of D-hordeins (Blake et al), 120
structure of amylopectin from normal and waxy (MacGregor and Morgan), 222
- Beans, white-, equilibrium moisture content of (Hutchinson and Otten), 155
- Beta-D-glucan, analysis in oats using Calcofluor (Wood and Weisz), 73
- Bioavailability
of vitamins A and E (Omaye and Chow), 95
of zinc in corn foods intrinsically labeled with zinc-65 (Garcia et al), 360
- Bran, durum-, fiber constituents of (Kunerth and Youngs), 350
- Bread and breadmaking
algae as protein supplement (Finney et al), 402
balady-, effect of baking time and temperature on bread quality, starch

- gelatinization, and staling (Faridi and Rubenthaler), 151
- bran and shorts from hard red vs. hard white wheats in (Moder et al), 269
- bread from germinated wheat; baking characteristics of moderately strong and overly strong wheat (Lukow and Bushuk), 336
- Do-Corder to study dough development (Endo et al), 112
- dried distillers grain from sorghum, use in (Morad et al), 409
- effect of waxy barley starch and reheating on firmness (Ghiasi et al), 281
- flour test for (Shogren and Finney), 418
- oils, surfactants, and their blends as replacements for shortening in (Bruinsma and Finney), 279
- optimized, straight-dough method (Finney), 20
- quality affected by lipids and emulsifiers (Pomeranz et al), 136
- soy-fortified; effect of storage with sweet cheese whey solids (Guy), 83
- volume affected by break and shred (Shogren and Finney), 179
- wheat and rye, structure of (Pomeranz et al), 53
- Break and shred, effect on bread volume (Shogren and Finney), 179
- Buckwheat, effect on protein quality of germination and changes in trypsin inhibitor (Ikeda et al), 236

Cakes and cookies

- cakes
functionality of lipids (Donelson et al), 88
heat transfer and water loss during baking with monoglycerides (Cloke et al), 363
model batters containing nonfat dry milk (Pearce et al), 549
surface characteristics evaluated by cross-classification technique (Evans et al), 292
volume methods from cake cross-sections (Cloke et al), 375
water loss after storage with monoglycerides (Cloke et al), 371
- cookies
corn sweetener effect on quality (Curley and Hosney), 274
differential scanning calorimetry of (Abboud and Hosney), 34
dough; effect of mixing time and ingredients on farinograms of (Olewnik and Kulp), 532
navy bean-sesame blends (Hoojrat and Zabik), 41
- Calcium
effect on lipid parameters in rats (Bock and Ranhotra), 514
ions, binding to soy protein (Kroll), 490
- Carbohydrates
of durum wheat bran and whole meal; unavailability (Kunerth and Youngs), 350
modification of orcinol, anthrone, and carbazole colorimetric reactions (Kunerth and Youngs), 344
structure of amylopectin from barley starch (MacGregor and Morgan), 222
- Cereal
alkylresorcinols; toxicity of (Sedlet et al), 239
dietary fiber
analysis from, minerals and phytates in (Schweizer et al), 116
content and composition at different extraction rates (Nyman et al), 14
iron solubilization in (Clydesdale and Nadeau), 330

- proteins; enzymic solubilization of by commercial proteases (Nkonge and Ballance), 316
- Chlorination**
effects on cakes of lipids from untreated and chlorinated flour (Donelson et al), 88
oil-binding capacity
of chlorinated starch (Seguchi), 244
of prime starch from chlorinated wheat flour (Seguchi), 241
- Chromatography**
reversed-phase HPLC analysis of extracted gliadin proteins (Bietz et al), 124
wheat varietal identification by reversed-phase HPLC of gliadins (Bietz et al), 129
- Coextrusion, corn gluten and soy flour** (Neumann et al), 439
- Cooking, texture of cooked rice** (Pillaiyar), 255
- Corn**
basis for hardness (Abdelrahman and Hosney), 232
cultivar and sample various effect on moisture meter performance (Gutheil et al), 267
dry milling of trickle sulfur dioxide-treated (Peplinski and Anderson), 289
food products intrinsically labeled with zinc-65 for zinc bioavailability studies (Garcia et al), 360
genetics and zeins (Wall et al), 141
hardness determination (Pomeranz et al), 147
rheological behavior of Venezuelan *arepa* dough made from precooked flour (de Padua and Padua Maroun), 37, 384
shortened flow for dry milling (Peplinski et al), 60
storage; ergosterol as index of fungal invasion (Naewbanij et al), 385
syrup; effect on cookie quality (Curley and Hosney), 274
wet milling of ensiled kernels (Nerying and Reilly), 8
zein; isoelectric focusing in agarose (Wilson), 198
- Corn distillers' grains**
in blended foods
composition and nutrition (Wall et al), 504
sensory, stability, and processing studies (Bookwalter et al), 509
- Cornstarch, rheology and yield stress of** (Christianson and Bagley), 500
- Cottonseed**
7S storage protein of, isolation procedure (Zarin et al), 471
storage protein characterization by SDS-PAGE (Marshall et al), 166
- Dough**
cookie-, effect of mixing time and ingredient variation on farinograms of (Olewnik and Kulp), 532
Do-Corder to study dough development (Endo et al), 112
extensigraph properties of; effects of fermentation time, flour strength, and salt level on (Casutt et al), 454
frozen-, effect
of yeast on stability (Wolt and D'Appolonia), 209
of yeast, flour, and dough additives on stability (Wolt and D'Appolonia), 213
kneading quality of sprouted sorghum (Murty et al), 415
from precooked corn flour, rheological behavior of Venezuelan *arepa* (de Padua and Padua Maroun), 37
wheat and rye, structure of (Pomeranz et al), 53
wheat flour-, modification by cycloheptaamylose (Kim and Hill), 406
- Drying**
drum-, of wheat starch; physical and molecular modifications (Colonna et al), 538
post-, fissures related to, in rough rice (Nguyen and Kunze), 63
- Electrophoresis**
of cottonseed storage proteins (Marshall et al), 166
gel-, of gliadin fractions (Huebner and Dietz), 554
for gliadin detection (Khan), 378
of gliadins from stressed wheat samples (Lookhart et al), 496
isoelectric focusing of zein (Wilson), 198
SDS-PAGE of gliadins and glutenins from germinated wheat (Lukow and Bushuk), 340
two-dimensional-, of zeins (Wall et al), 141
use in preparative and analytical hordein fractionation (Blake et al), 120
- Enzymes**
cereal and fungal α -amylase measured by modified falling number method (Perten), 108
cereal protein solubilization and degradation by commercial proteases (Nkonge and Ballance), 316
immobilized-, bioconversion of starch to ethanol by calcium-alginate (McGhee et al), 446
lipoxygenase isoenzymes of durum wheat endosperm (Hsieh and McDonald), 392
- Errata**
de Padua and Padua Maroun (Vol. 61, p. 37), 384
Wolt and D'Appolonia (Vol. 61, p. 209), 384
- Ethanol, bioconversion of starch to** (McGhee et al), 446
- Extrusion cooking**
effects on dietary fiber content and on degradation in rat intestinal tract (Björck et al), 174
of wheat starch; physical and macromolecular modifications (Colonna et al), 538
- Faba beans, cookability as related to seed coat microstructure** (Youssef and Bushuk), 381
- Falling number, modified for measuring cereal and fungal α -amylase activity** (Perten), 108
- Fatty acids**
free-, produced during storage of pearl millet (Kaced et al), 187
of oats; effects of oil extraction procedures on composition (Karow et al), 196
- Fermentation**
effect on extensigraph properties of dough (Casutt et al), 454
yeast-protein concentrate to increase (Lai et al), 428
- Fiber**
constituents in durum bran and whole meal (Kunerth and Youngs), 350
dietary-
analysis by enzymatic gravimetric method (Schweizer et al), 116
composition and fermentability (Björck et al), 174
content and composition in cereals at different extraction rates (Nyman et al), 14
minerals and phytate in analysis of, from cereals (Frølich et al), 357
quantitation using modified orcinol, anthrone, and carbazole colorimetric reactions (Kunerth and Youngs), 344
- Fissures, relation to postdrying treatments in rough rice** (Nguyen and Kunze), 63
- Flour**
bean protein-, use in cake doughnuts (Spink et al), 251
bread-making test for (Shogren and Finney), 418
flowability of hard and soft wheat flours (Neel and Hosney), 262
gel and dough quality of sprouted sorghum (Murty et al), 415
from germinated wheat
functionality and biochemical properties (Lukow and Bushuk), 336
protein composition (Lukow and Bushuk), 340
moisture determination by microwave (Davis and Lai), 1
physically weak vs. physically strong (Moder et al), 269
proteins; association of fractions with flour lipids (Zawistowska et al), 527
rheology of Venezuelan *arepa* dough made from precooked corn (de Padua and Padua Maroun), 37, 384
rice, waxy; characteristics of (Bean et al), 475
sieving characteristics of hard and soft wheat flours (Neel and Hosney), 259
soy-, coextrusion with corn gluten (Neumann et al), 439
wheat-
bread quality of defatted (Pomeranz et al), 136
modification by cycloheptaamylose (Kim and Hill), 406
oil-binding capacity of prime starch from chlorinated (Seguchi), 241
wheat and nonwheat-, *chapatties* made from, soy enrichment (Lindell and Walker), 435
- Fractionation, of protein-rich material from sorghum alcohol distillation** (Wu and Sexson), 388
- Gelatinization**
starch-
of baked cookies and cookie doughs (Abboud and Hosney), 34
of balady bread, effect of baking time and temperature on (Faridi and Rubenthaler), 151
waxy rice; characteristics of (Bean et al), 475
wheat starch
in batters with nonfat dry milk (Pearce et al), 549
physical characteristics in presence of cycloheptaamylose (Kim and Hill), 432
- Germination**
amylase activity in sorghum (Murty et al), 415
of buckwheat; effect on protein quality and changes in trypsin inhibitor (Ikeda et al), 236
effect on endosperm cell walls (Glennie), 285

- lipase activity in oats (Urquhart et al), 105
production of α -amylase isoenzymes during (Marchylo et al), 305
- Gliaden**
detection by dye binding and TCA precipitability (Khan), 378
effect of lipids on electrophoretogram (Zawistowska et al), 527
extraction conditions for reversed-phase HPLC analysis (Bietz et al), 124
separation by reversed-phase HPLC (Huebner and Dietz), 554
wheat-, PAGE of, effect of environment and germination (Lookhart et al), 496
wheat varietal identification by reversed-phase HPLC (Bietz et al), 129
- Gluten**
corn-
coextrusion with soy flour (Neumann et al), 439
proteins from wet-milled (Neumann et al), 353
gel filtration and characterization of neutral salt extracted wheat proteins (Preston), 76
production by wet milling (Neryng and Reilly), 8
viscoelastic properties of dispersion (Mita and Matsumoto), 169
- Grain**
dried distillers-, from sorghum, use in baked foods (Morad et al), 409
tempering of; theoretical approach to (Hsu), 466
Grain sorghum, basis for hardness (Abdelrahman and Hosney), 232
- Hordein**, barley storage proteins, communication to the editor (Shewry, 555; Blake, 555)
- HPLC**
for analysis of molecular weight changes of buffer-soluble proteins during germination (Kruger), 205
determination of saccharides (Warthesen), 194
reversed-phase-
of extracted gliadin proteins (Bietz et al), 124
preparative separation of gliadins by (Huebner and Bietz), 554
for separation of hordein proteins (Marchylo and Kruger), 295
wheat varietal identification by reversed-phase analysis of gliadins (Bietz et al), 129
- Instructions to Authors**, iii (Vol. 61, No. 1), 257 (Vol. 61, No. 3)
- Instruments and instrumentation**
for bread-making test of flour (Shogren and Finley), 418
determination of saccharides (Warthesen), 194
Do-Corder to study dough development (Endo et al), 112
HPLC analysis
of extracted gliadin proteins (Bietz et al), 124
of gliadin proteins (Bietz et al), 129
moisture meters; effect of corn cultivar and sample variance on performance of (Gutheil et al), 267
- Iron**
ingredient effect in spray-dried soy beverage (Kadan and Ziegler), 5
solubilization and availability (Clydesdale and Nadeau), 330
- Legumes**
air classification of peas; effect of maturity (Tyler and Panchuk), 192
air-classified protein flour in cake doughnuts (Spink et al), 251
protein nutritional quality, amino acid supplementation (Davis et al), 311
- Lipase**, activity in oats during grain maturation and germination (Urquhart et al), 105
- Lipids**
effect on flowability of hard and soft wheat flours (Neel and Hosney), 262
effects on toast bread (Pomeranz et al), 136
extraction procedures for oats and their effect on fatty acid composition determinations (Karow et al), 196
parameters in rat; effects of pectin, phytate, and calcium (Bock and Ranhotra), 514
from untreated and chlorinated flours; effects on cakes (Donelson et al), 88
- Lipoxygenase**, isoenzymes from durum wheat endosperm (Hsieh and McDonald), 392
- Maize**, grain, leaf, and husk waxes of (Bianchi et al), 45
- Methods**
Calcofluor for analysis of beta-D-glucan (Wood and Weisz), 73
cross-classification technique to evaluate cake surface characteristics (Evans et al), 292
electrical; time-dependent moisture gradients in conditioned wheat (Pomeranz et al), 559
gel test to assess texture of parboiled rice (Pillaiyar), 255
gliadin extraction for analysis by reversed-phase HPLC (Bietz et al), 124
gradient SDS-PAGE in hordein peptide mapping (Blake et al), 120
identification of Canadian barley cultivars by HPLC (Marchylo and Kruger), 295
for isolation of 7S storage protein of cottonseed (Zarins et al), 471
for measuring cereal and fungal α -amylase (Perten), 108
near-infrared reflectance for estimation of protein (Lai et al), 327
optimized, straight-dough, bread-making (Finney), 20
for quantitation of monosaccharides of flour (Kunerth and Youngs), 344
rapid analysis of molecular weight of buffer-soluble proteins by HPLC (Kruger), 205
wheat varietal identification by HPLC analysis of gliadins (Bietz et al), 129
- Milk**, solubilization of iron in cereals by (Clydesdale and Nadeau), 330
- Millet**, pearl-
basis for hardness (Abdelrahman and Hosney), 232
effect of storage conditions on lipids (Kaced et al), 187
mineral and vitamin contents, retention in bread (Khalil and Sawaya), 301
procedure to produce *rotis* (Olewnik et al), 28
- Milling**
dry-, of corn by shortened flow (Peplinski et al), 60
impact-, of peas (Tyler and Panchuk), 192
of semolina; effect of conditioning treatments on (Kathuria and Sidhu), 460
sieving characteristics of hard and soft wheat flours (Neel and Hosney), 259
soft red wheat, grown on sludge-treated soils (Kirleis et al), 518
trickle sulfur dioxide-treated corn (Peplinski and Anderson), 289
wheat-, visual analysis of (Davis and Eustace), 182
- Minerals**
in analysis of dietary fiber from cereals (Schweizer et al), 116; (Frølich et al), 357
components of pearl millet flour and bread (Khalil and Sawaya), 301
- Moisture**
cake batters with nonfat dry milk; rates of water loss during baking (Pearce et al), 549
equilibrium-, of white beans (Hutchinson and Otten), 155
flour-, microwave-oven for determination of (Davis and Lai), 1
meters; effect of corn cultivar and sample variance on performance of (Gutheil et al), 267
in wheat; time-dependent moisture gradients determined by electrical methods (Pomeranz et al), 559
- Nutrition**, mineral and vitamin contents of pearl millet flour and bread (Khalil and Sawaya), 301
- Oats**
analysis of beta-D-glucan using Calcofluor (Wood and Weisz), 73
lipase activity during grain maturation and germination (Urquhart et al), 105
oil extraction procedures and their effect on fatty acid composition determinations (Karow et al), 196
- Packaging**, effect of light on nutrient stability (Furuya and Warthesen), 399
- Particle size**, effect on NIR (Norris and Williams), 158
- Pasta**, riboflavin content and stability (Furuya and Warthesen), 399
- Pectin**, effect on lipid parameters in rats (Bock and Ranhotra), 514
- pH**, effect of, on binding of Ca^{2+} by soybean protein (Kroll), 490
- Phosphate**, effect on firming rate of cooked rice (Kim and Kim), 91
- Phosphorus**, content in soybean protein fractions as affected by processing (Honig et al), 523
- Phytate**
in analysis of dietary fiber from cereals (Frølich et al), 357
effect on lipid parameters in rats (Bock and Ranhotra), 514
- Phytic acid**
content in soybean protein fractions as affected by processing (Honig et al), 523
recovery with soluble dietary fiber (Schweizer et al), 116
- Prolamin**
gliadin extraction for analysis by reversed-phase HPLC (Bietz et al), 124
localization in sorghum protein bodies (Taylor et al), 69
purification and characterization of barley D-hordein (Blake et al), 120
wheat varietal identification by HPLC analysis of gliadins (Bietz et al), 129
- Protein**

- algae as supplement in bread (Finney et al), 402
- analysis of in germinating wheat by HPLC (Kruger), 205
- in barley, identification by reversed-phase HPLC (Marchylo and Kruger), 295
- in buckwheat; effect of seed germination on in vitro digestibility (Ikeda et al), 236
- composition of sorghum protein bodies (Taylor et al), 69
- concentrate; from yeast, effects on fermentation (Lai et al), 428
- contribution of glutamine side chain (Mita and Matsumoto), 169
- in corn gluten, properties of (Neumann et al), 353
- corn; isoelectric focusing of zein (Wilson), 198
- degradative solubilization of, in cereal grists by commercial proteases (Nkonge and Ballance), 316
- distribution changes in germinated wheat (Lukow and Bushuk), 340
- gliadin isolation and electrophoretic analysis (Huebner and Bietz), 554
- measurement in wheat (Norris and Williams), 158
- near-infrared reflectance for estimation of (Lai et al), 327
- nutritional quality using *Tetrahymena*, effect of age of sample (Davis et al), 311
- physicochemical and functional properties, 11S globulin (glycinin) (Peng et al), 480
- purification and characterization of barley D-hordein (Blake et al), 120
- residue from wheat alcohol distillation (Wu et al), 423
- SDS characterization of cottonseed storage proteins (Marshall et al), 166
- in soft and hard red winter wheats (Miller et al), 201
- soybean; pH effects on calcium binding (Kroll), 490
- storage-, of cottonseed, rapid procedure for isolation (Zarins et al), 471
- wheat-, gel filtration and characterization of neutral salt extracted (Preston), 76
- wheat gliadin extraction for analysis by reversed-phase HPLC (Bietz et al), 124
- wheat varieties identified through HPLC analysis of gliadins (Bietz et al), 129
- Rheology**
- behavior of Venezuelan *arepa* dough made from precooked corn flour (de Padua and Padua Maroun), 37
- of cookie doughs (Olewnik and Kulp), 532
- of corn and wheat starch dispersions (Christianson and Bagley), 500
- Do-Corder to study dough development (Endo et al), 112
- dynamic viscoelastic properties of dispersions of gluten and gluten methyl ester (Mita and Matsumoto), 169
- Ribonuclease, assay for, communication to the editor (Prentice and Heisel), 204
- Rice**
- brown-, naturally infected by *Aspergillus versicolor*, distribution of sterigmatocystin and fungal mycelium in kernels (Takahashi et al), 48
- firming rate of cooked (Kim and Kim), 91
- fissures related to post-drying treatments (Nguyen and Kunze), 63
- parboiled-, gel test for texture (Pillaiyar), 255
- storage; ergosterol as index of fungal invasion (Naewbanij et al), 385
- waxy-, physicochemical and food application characteristics of (Bean et al), 475
- Roti*, production from pearl millet (Olewnik et al), 28
- Rye**
- alkylresorcinols; toxicity of (Sedlet et al), 239
- dough and bread structure (Pomeranz et al), 53
- Scanning electron microscopy**
- dough, sour and bread (Pomeranz et al), 53
- of sliced brown rice kernel naturally infected by *Aspergillus versicolor* (Takahashi et al), 48
- of sorghum endosperm cell walls (Glennie), 285
- of wheat milling (Davis and Eustace), 182
- Semolina, conditioning treatment effect on (Kathuria and Sidhu), 460
- Sorghum**
- alcohol distillation; fractionation and characterization of protein-rich material from (Wu and Sexson), 388
- amylase activity and sprout damage in (Murty et al), 415
- dried distillers grain from, use in baked foods (Morad et al), 409
- endosperm cell wall modification during germination (Glennie), 285
- grain hardness; relation to measurements of grain quality (Cagampang and Kirleis), 100
- grain vitreousness and endosperm texture (Kirleis et al), 556
- protein body composition and ultrastructure (Taylor et al), 69
- Soy, fortification of *chapati* made from wheat and nonwheat flours (Lindell and Walker), 435
- Soy beverage, ingredient effect on iron distribution in spray-dried (Kadan and Ziegler), 5
- Soybean**
- 11S globulin (glycinin) (Peng et al), 480
- protein
- calcium binding and pH (Kroll), 490
 - and phytic acid and phosphorus content as affected by processing (Honig et al), 523
- Spaghetti, quality affected by conditioning treatments (Kathuria and Sidhu), 463
- Staling**
- of balady bread, effect of baking time and temperature on (Faridi and Rubenthaler), 151
- effect of waxy barley starch and reheating on firmness of bread crumb (Ghiassi et al), 281
- Starch**
- barley-, structure of amylopectin (MacGregor and Morgan), 222
- bioconversion to ethanol (McGhee et al), 446
- comparison of oil-binding ability of different chlorinated (Seguchi), 244
- digestibility (Björck et al), 174
- effects of gamma radiation on (MacArthur and D'Appolonia), 321
- heat-treated wheat (Seguchi), 248
- hydrolysates; analysis by HPLC (Warthesen), 194
- oil-binding capacity of, from chlorinated wheat flour (Seguchi), 241
- production by wet milling (Neryng and Reilly), 8
- waxy barley-, effect on firmness of bread crumb (Ghiassi et al), 281
- waxy rice-, physicochemical and food application characteristics of (Bean et al), 475
- wheat-
- extrusion cooking and drum drying of, physical and macromolecular modifications (Colonna et al), 538
 - physical characteristics in presence of cycloheptaamylase (Kim and Hill), 432
- Sterigmatocystin, distribution in individual brown rice kernels naturally infected by *Aspergillus versicolor* (Takahashi et al), 48
- Storage**
- effect of sweet whey solids in the storage stability of 12% soy-fortified bread wheat flour (Guy), 83
- ergosterol as index of fungal invasion (Naewbanij et al), 385
- of pearl millet after grinding (Kaced et al), 187
- Sulphydryl, in corn gluten (Neumann et al), 353
- Tempering, of grains; theoretical approach to (Hsu), 466**
- Trypsin inhibitor, of buckwheat; changes on seed germination (Ikeda et al), 236
- Viscosity, of corn and wheat starch dispersions (Christianson and Bagley), 500**
- Vitamins**
- A and E; bioavailability of (Omaye and Chow), 95
- components of pearl millet flour and bread (Khalil and Sawaya), 301
- riboflavin in pasta, effect of light (Furuya and Warthesen), 399
- Wheat**
- alcohol distillation; fractionation and characterization (Wu et al), 423
- α -amylase activity in (Reddy et al), 228
- α -amylase isoenzymes; separation by chromatofocusing and isoelectric focusing (Marchylo et al), 305
- bran; bioavailability of vitamins A and E and effects on growth of rats fed diets of (Omaye and Chow), 95
- composition analysis (Norris and Williams), 158
- determination of molecular weight of buffer-soluble proteins during germination (Kruger), 205
- dough and bread structure (Pomeranz et al), 53
- durum-
- conditioning treatment effect on semolina (Kathuria and Sidhu), 460
 - conditioning treatment effect on spaghetti (Kathuria and Sidhu), 463
 - lipoxigenase isoenzymes from endosperm (Hsieh and McDonald), 392
- effect of germination on quality (Lukow and Bushuk), 336
- electrophoresis of environmentally stressed samples (Lookhart et al), 496
- gamma radiation of; effects of low-dosage radiations on starch properties (MacArthur and D'Appolonia), 321
- gliadin extraction for analysis by reversed-phase HPLC (Bietz et al), 124
- hardness of hard and soft (Miller et al), 201

soft red winter-, grown on sludge-treated soils (Kirleis et al), 518
starch; oil-binding ability of heat-treated (Sepuchi), 248
storage; ergosterol as index of fungal invasion (Naewbanij et al), 385
time-dependent moisture gradients determined by electrical methods (Pomeranz et al), 559
varietal identification by reversed-phase HPLC analysis of gliadins (Bietz et al), 129

Yeast

effect on frozen-dough stability (Wolt and D'Appolonia), 213
fermentation stimulant from yeast fraction (Lai et al), 428

immobilized-, bioconversion of starch to ethanol by calcium-alginate (McGhee et al), 446
reducing compound influence on frozen-dough stability (Wolt and D'Appolonia), 209, 384

Zein

isoelectric focusing of (Wall et al), 141
isoelectric focusing in agarose (Wilson), 198

Zinc, intrinsically labeled-; corn foods for zinc bioavailability studies (Garcia et al), 360

